

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2842	emulat\$4 same board	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/18 12:11
L2	804	emulat\$4 same board same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/18 12:11
L3	2561196	emulat\$4 same board same memory same reconfigur\$4 or configur\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/18 12:12
L4	175	emulat\$4 same board same memory same (reconfigur\$4 or configur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/18 15:02
L5	1	("5612891").PN.	US-PGPUB; USPAT	OR	OFF	2007/09/18 13:38
L6	1758	(716/1).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/18 13:39
L7	2953	(716/4).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/18 13:39
L8	572	(703/23).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/18 13:39
L9	253	(703/28).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/18 13:39
L10	220	(703/20).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/18 13:39
L11	220	(714/28).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/18 13:39
L12	246	(714/775).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/18 15:00
L13	129	(joss0-f\$ montagne-x\$ reblewski-f\$). in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/18 15:02

## EAST Search History

L14	133	(josso-f\$ montagne-x\$ reblewski-f\$). in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/18 15:02
-----	-----	--	--	----	----	------------------

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

emulator board onboard reconfigurable fpga memory

Search

[Advanced Search](#)  
[Preferences](#)

[New!](#) [View and manage your web history](#)

**Web Results 51 - 60** of about **36,600** for **emulator board onboard reconfigurable fpga memory**. (0.08 second)

### Interfaces Products for Embedded Computing

**FPGA-only board** based on Altera Corporation's line of high-density, ... and a highly interconnected **reconfigurable** computing array, provides 64 GFLOPS with ...  
www.pxionline.com/products/search/index.php?q=Interfaces&op=cn&max=40 - 59k -  
[Cached](#) - [Similar pages](#)

### [PPT] Coarse Grain Reconfigurable Architectures

File Format: Microsoft Powerpoint - [View as HTML](#)  
hardwired IP cores **on board**. Configware Market; **FPGA** Market; Embedded Systems (Co-Design) ... Without RTR, all configurable platforms just ASIC **emulators**. ...  
xputers.informatik.uni-kl.de/staff/hartenstein/lot/HartensteinENST2002\_4.ppt - [Similar pages](#)

### [PDF] Custom Multi-FPGA System for Rapid Prototyping of Innovative PIM ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
farther thanks to its **reconfigurable** logic capacity, .... various system tests (**memory**, **on-board** interconnect and IEEE1394 drivers), and finally the ...  
www.cag.csail.mit.edu/warfp2006/submissions/brodowicz-cct.pdf - [Similar pages](#)

### Presence-2 Specification - PRELIMINARY

With each **on-board** resource given an independent interface to the **FPGA**, ... Additional host system resources (system **memory**, I/O devices etc) are accessible ...  
www.cs.york.ac.uk/arch/neural/hardware/presence-2/flyer.html - 5k -  
[Cached](#) - [Similar pages](#)

### CompactPCI-Systems.com | System integration Products for Embedded ...

The PP 421/23x can operate as a system controller **board** or as a satellite **board** ...  
TMS320C6713 flexible DSP plus a **reconfigurable FPGA** Accelerates System . ...  
www.compactpci-systems.com/products/search/index.php?q=System+integration&op=cn&max=40 - 79k - [Cached](#) - [Similar pages](#)

### Products

By leveraging the latest **FPGA** technologies, Xtreme-II delivers fast runtime ... Up to 1780M bits of **on-board RCC memory**; Up to 2.5GB of extended **memory** ...  
www.verisity.com/products/xtremeeii.html - 48k - [Cached](#) - [Similar pages](#)

### [PDF] FPGA-Based Implementation of Single-Precision Exponentiation Unit

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
The GMIP contains **on-board** Flash **memory** for use by user-developed applications ....  
**Reconfigurable** computing using a Field Programmable Gate Array (**FPGA**) ...  
klabs.org/mapld04/papers/b/b116\_riley\_p.pdf - [Similar pages](#)

### [PDF] Re-configurable I/O interfaces for modern Data Acquisition Systems

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
The **board** features total reconfigurability thanks to the **on-board FPGA** .... evidence that, this **reconfigurable** hardware approach, together with a careful ...  
chep2000.pd.infn.it/paper/pap-b097.pdf - [Similar pages](#)

### SOCcentral: EVE Introduces Next-Generation Hardware-Assisted ...

ZeBu-UF2 maps the design under test (DUT) onto two large Virtex4-LX200 plus 160MBytes of **on-board memory** for a nominal capacity of three-million ASIC gates. ...